# UHU®

# **CRAFTS GLUE** SOLVENT-FREE, FAST-SETTING CRAFTS GLUE IN A HANDY TUBE



## PRODUCT DESCRIPTION

UHU Crafts Glue is a solvent-free, fast-setting white glue in a unique stand-up tube – always ready-to-use, right to the last drop. Transparent when dry for multi-purpose craft applications. It sticks all common craft materials quickly and permanently.

## FIELD OF APPLICATION

Glues paper, cardboard, leather (not suitable for clothing), fabric, felt, bast fiber, dry and silk flowers, cork together as well as combined with many plastics, metals, laminates, stone and Styrofoam®. It can be used on most materials, as long as one of the parts to be stuck together will absorb water or is porous. Not suitable for PE, PP.

#### PROPERTIES

- Solvent-free
- · Fast-setting
- · Handy plastic tube
- · Dries transparent
- · Sticks all common craft materials

#### PREPARATION

**Surface Requirements:** The areas to be glued must be dry and free of any dust or grease.

#### APPLICATION

#### **Directions for use:**

The adhesive is usually applied to only one of the surfaces. The open time is between 3 and 10 minutes, depending on the quantity of adhesive applied and the absorbency of the parts to be stuck together. Place the parts together before the adhesive dries.

**Stains/residue:** Can be washed out with cold water as long as glue is wet. Once it has dried it will not dissolve in water and is difficult to remove.

#### **TECHNICAL SPECIFICATIONS**

Chemical base:	Ethylene vinylacetate copolymer
Colour:	White
Colour after curing/drying:	Transparent
Drying/Curing time approx.*:	20 seconds
Final bond strength after:	1h
pH-value approx.:	4.5
Rinseable with water:	Yes
Solid matter approx.:	55 %
Solvent free:	Yes
Transparent:	Yes, after drying
Viscosity:	Liquid
Viscosity approx.:	8000 mPa·s
Washable:	No
Water resistance:	Good
Water soluble:	No

\* Curing time may vary depending on a.o. surface, product quantity used, humidity level and ambient temperature.

#### PACK SIZES

Available in a 20g and 90g tubes.

#### **STORAGE CONDITIONS**

Store in a dry, cool and frost-free place.

Our advice is based on extensive research and practical experience. However, in view of the large variety of materials and the conditions under which our products are applied, we assume no responsibility for the results obtained and/or any damage caused by the use of the product. Nevertheless, our Service Department is always at your disposal for any advice needed.